

L Number	Hits	Search Text	DB	Time stamp
-	1	5029207.pn.	USPAT; US-PGPUB; IBM_TDB	2003/11/04 11:48
-	217	secure same (terminal or client) and server and connection and @pd<19990305	USPAT; US-PGPUB; IBM_TDB	2003/11/04 11:49
-	136	secure same (terminal or client) and server and connection and (713/\$ 380/\$) and @pd<19990305	USPAT; US-PGPUB; IBM_TDB	2003/11/04 11:50
-	4	(secure same (terminal or client) and server and connection and (713/\$ 380/\$) and @pd<19990305) and crypt\$ and co\$processor	USPAT; US-PGPUB; IBM_TDB	2003/11/04 11:51
-	4	(secure same (terminal or client) and server and connection and (713/\$ 380/\$) and @pd<19990305) and crypto\$ and co\$processor	USPAT; US-PGPUB; IBM_TDB	2003/11/04 15:23
-	4	(secure same (terminal or client) and server and connection and (713/\$ 380/\$) and @pd<19990305) and crypto\$ and co\$processor and algorithm	USPAT; US-PGPUB; IBM_TDB	2003/11/04 15:24
-	4	(secure same (terminal or client) and server and (713/\$ 380/\$) and @pd<19990305) and crypto\$ and co\$processor and algorithm	USPAT; US-PGPUB; IBM_TDB	2003/11/04 15:24
-	12	((terminal or client) and server and (713/\$ 380/\$) and @pd<19990305) and crypto\$ and co\$processor and algorithm	USPAT; US-PGPUB; IBM_TDB	2003/11/04 15:25
-	5	((terminal or client) and server and (713/\$ 380/\$) and @pd<19980305) and crypto\$ and co\$processor and algorithm	USPAT; US-PGPUB; IBM_TDB	2003/11/04 15:25
-	4	((terminal or client) and server and (713/\$ 380/\$) and @pd<19980305) and (upload or update) same algorithm	USPAT; US-PGPUB; IBM_TDB	2003/11/04 15:27
-	14	(713/\$ 380/\$) and @pd<19980305 and (upload or update) near algorithm	USPAT; US-PGPUB; IBM_TDB	2003/11/07 12:46
-	14	(713/\$ 380/\$ 705/\$) and @pd<19980305 and (upload or update) near algorithm	USPAT; US-PGPUB; IBM_TDB	2003/11/04 15:30
-	14	(713/\$ 380/\$ 705/\$) and @pd<19980305 and (upload or update) near algorithm	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/04 15:33
-	4	(713/\$ 380/\$ 705/\$) and @pd<19980305 and (upload or update) near algorithm same multiple	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/04 15:33
-	19	(713/\$ 380/\$) and @pd<19980305 and firmware same (upload or update)	USPAT; US-PGPUB; IBM_TDB	2003/11/07 10:31
-	9	(713/\$ 380/\$) and @pd<19980305 and choosing same (security or encryption) same algorithm	USPAT; US-PGPUB; IBM_TDB	2003/11/04 15:40
-	11	(713/\$ 380/\$) and @pd<19980305 and choosing same (security or encrypt\$ or encipher or cipher) same algorithm	USPAT; US-PGPUB; IBM_TDB	2003/11/05 09:21
-	34	(713/\$ 380/\$) and @pd<19980305 and choos\$ same (security or encrypt\$ or encipher or cipher) same algorithm	USPAT; US-PGPUB; IBM_TDB	2003/11/05 10:38
-	1	4440976.pn.	USPAT; US-PGPUB; IBM_TDB	2003/11/05 09:21
-	5	(713/\$ 380/\$) and @pd<19980305 and choos\$ same (security or encrypt\$ or encipher or cipher) same update and algorithm	USPAT; US-PGPUB; IBM_TDB	2003/11/05 10:51

-	10	(713/\$ 380/\$) and @pd<19980305 and choos\$ same (security or encrypt\$ or encipher or cipher) same algorithm and key same exchange	USPAT; US-PGPUB; IBM_TDB	2003/11/05 10:51
-	7	(713/\$ 380/\$) and @pd<19980305 and choos\$ same (security or encrypt\$ or encipher or cipher) same algorithm and ((key adj exchange) or session adj key)	USPAT; US-PGPUB; IBM_TDB	2003/11/05 10:52
-	0	(713/\$ 380/\$) and @pd<19980305 and firmware same (upload or update) and crypt\$ same processor	USPAT; US-PGPUB; IBM_TDB	2003/11/05 13:03
-	17	(713/\$ 380/\$) and @pd<19980305 and firmware same (upload or update) and processor	USPAT; US-PGPUB; IBM_TDB	2003/11/05 13:03
-	1	(713/\$ 380/\$) and @pd<19980305 and firmware same (upload or update) and crypt\$ and processor	USPAT; US-PGPUB; IBM_TDB	2003/11/05 13:03
-	4	(713/\$ 380/\$) and @pd<19980305 and firmware same (upload or update) and (crypt\$ or cipher or encry\$) and (co\$processor or processor)	USPAT; US-PGPUB; IBM_TDB	2003/11/05 13:06
-	14	(713/\$ 380/\$) and @pd<19980305 and (upload or update) near algorithm	USPAT; US-PGPUB; IBM_TDB	2003/11/05 14:31
-	393	(713/\$ 380/\$) and @pd<19980305 and encrypted near key	USPAT; US-PGPUB; IBM_TDB	2003/11/05 14:50
-	30	(713/\$ 380/\$) and @pd<19980305 and encrypted near key and firmware	USPAT; US-PGPUB; IBM_TDB	2003/11/05 15:33
-	51	(713/\$ 380/\$) and @pd<19990305 and encrypted near key and firmware	USPAT; US-PGPUB; IBM_TDB	2003/11/05 15:37
-	38	(713/\$ 380/\$) and @pd<19990305 and encrypted adj key and firmware	USPAT; US-PGPUB; IBM_TDB	2003/11/06 10:33
-	5	(713/\$ 380/\$) and @pd<19990305 and encrypted adj secret adj key and firmware	USPAT; US-PGPUB; IBM_TDB	2003/11/06 10:34
-	8	(713/\$ 380/\$) and @ad<19990305 and encrypted adj secret adj key and firmware	USPAT; US-PGPUB; IBM_TDB	2003/11/06 11:38
-	11	(713/\$ 380/\$) and @ad<19990305 and encrypt\$ adj secret adj key and firmware	USPAT; US-PGPUB; IBM_TDB	2003/11/06 11:39
-	11	(713/\$ 380/\$) and @ad<19990305 and encrypt\$ adj (secret or cipher) adj key and firmware	USPAT; US-PGPUB; IBM_TDB	2003/11/06 11:39
-	143	(713/\$ 380/\$) and @ad<19990305 and encrypt\$ adj (secret or cipher) adj key	USPAT; US-PGPUB; IBM_TDB	2003/11/06 11:39
-	18	(713/\$ 380/\$) and @ad<19990305 and encrypt\$ adj (secret or cipher) adj key same storage	USPAT; US-PGPUB; IBM_TDB	2003/11/07 10:23
-	2	(713/\$ 380/\$) and @ad<19990305 and encrypt\$ adj (secret or cipher) adj key same key adj storage	USPAT; US-PGPUB; IBM_TDB	2003/11/06 11:43
-	148	(713/\$ 380/\$) and @ad<19990305 and transmit same encryption same algorithm	USPAT; US-PGPUB; IBM_TDB	2003/11/07 10:24
-	66	(713/\$ 380/\$) and @ad<19990305 and transmit same encryption adj algorithm	USPAT; US-PGPUB; IBM_TDB	2003/11/07 10:24
-	53	(713/\$ 380/\$) and @ad<19980305 and firmware same (upload or update)	USPAT; US-PGPUB; IBM_TDB	2003/11/07 10:33

-	13	(713/\$ 380/\$) and @ad<19980305 and (firmware or non\$volatile) same (upload or update) same encrypt\$ same algorithm	USPAT; US-PGPUB; IBM_TDB	2003/11/07 10:38
-	22	(713/\$ 380/\$) and @ad<19980305 and (firmware or non\$volatile) same (upload or update) same encrypt\$ same (algorithm or code or program)	USPAT; US-PGPUB; IBM_TDB	2003/11/07 10:40
-	11	(713/\$ 380/\$) and @ad<19980305 and (firmware or non\$volatile) same (upload or update) same encrypt\$ same (algorithm or code or program) not Johnson.in.	USPAT; US-PGPUB; IBM_TDB	2003/11/07 10:41
-	0	(713/\$ 380/\$) and @pd<19990305 and (upload or update) near algorithm same key adj exchange	USPAT; US-PGPUB; IBM_TDB	2003/11/07 13:01
-	3	(713/\$ 380/\$) and @pd<19990305 and (upload or update) near algorithm and key adj exchange	USPAT; US-PGPUB; IBM_TDB	2003/11/07 13:01
-	3	(713/\$ 380/\$) and @pd<19990305 and (upload or update) near algorithm and (key adj exchange or (session or (shared adj secret) or common ) adj key)	USPAT; US-PGPUB; IBM_TDB	2003/11/07 12:56
-	0	(713/\$ 380/\$) and @pd<19990305 and (upload or update) near algorithm and ((session or (shared adj secret) or common ) adj key)	USPAT; US-PGPUB; IBM_TDB	2003/11/07 12:53
-	1	(713/\$ 380/\$) and @pd<19990305 and (upload or update) near (program or software) and ((session or (shared adj secret) or common ) adj key)	USPAT; US-PGPUB; IBM_TDB	2003/11/07 12:54
-	414	(713/\$ 380/\$) and @pd<19990305 and ((session or (shared adj secret) or common ) adj key)	USPAT; US-PGPUB; IBM_TDB	2003/11/07 12:55
-	6	(713/\$ 380/\$) and @pd<19990305 and ((session or (shared adj secret) or common ) adj key) near device	USPAT; US-PGPUB; IBM_TDB	2003/11/07 12:56
-	10	(713/\$ 380/\$) and @ad<19990305 and (upload or update) near algorithm and (key adj exchange or (session or (shared adj secret) or common ) adj key)	USPAT; US-PGPUB; IBM_TDB	2003/11/07 12:56
-	14	(713/\$ 380/\$) and @ad<19990305 and ((session or (shared adj secret) or common ) adj key) near device	USPAT; US-PGPUB; IBM_TDB	2003/11/07 13:04
-	4	(713/\$ 380/\$) and @ad<19990305 and (upload or update) near algorithm and key adj exchange	USPAT; US-PGPUB; IBM_TDB	2003/11/07 13:01
-	14	(713/\$ 380/\$) and @ad<19990305 and ((session or (shared adj secret) or common ) adj key) near device	USPAT; US-PGPUB; IBM_TDB	2003/11/07 13:02
-	2	(713/\$ 380/\$) and @ad<19990305 and transmit\$ near cipher\$ near algorithm	USPAT; US-PGPUB; IBM_TDB	2003/11/07 13:05